


CDMD-OA SCLSIS Overview

Viewer and Workfile Training



CDMD-OA SCLSIS Overview

Introductions

Name

Command / Activity

Experience with CDMD-OA

How you plan to use CDMD-OA



CDMD-OA SCLSIS Overview

Class Objectives/Agenda

Students will learn to:

Log on to CDMD-OA

Build Ad Hoc queries

Create Standard reports

Use CDMD-OA Utilities

Build user Workfiles

Use Help Files



CDMD-OA SCLISIS Overview

Class Objectives/Agenda

Day 1

- Understand the SCLISIS Program, key roles and responsibilities
- Understand Strategic Data Flow and ASI processing
- Understand CDMD-OA functions
- Build Ad Hoc queries, Browse windows and Detail Screens, Help Files, Edit and Screen Option Menus
- Query References, create Standard Reports, use Utilities
- Labs

CDMD-OA SCLIS Overview

Class Objectives/Agenda

Day 2

- Review Day 1
- Build user workfiles
(copy, insert and delete configuration, logistics and alteration records)
- Share workfiles, copy queues to Summary and print VALAIDs
- Globally replace data in workfiles
- Import SDIF data into workfiles
- Lab

SCLSIS


Lesson Objectives

- **Describe SCLSIS functionality**
- **Understand the different roles and responsibilities**
- **Comprehend CDMD-OA software structure**

Ship Configuration and Logistics Support Information System

Configuration Status Accounting system developed to improve configuration and logistics management and control processes for Navy ships and selected shore activities.

An online adaptation of the governing document, NAVSEA Technical Specification 9090-700(x) appears as part of the CDMD-OA Help file.



Need for effective Configuration Management

- Improve support: Provide accurate configuration and logistics information
- Cost control: Support actual configuration
- Improve Fleet readiness: Less time on research, more time on training

Need for management system to track all configuration-worthy items



Provides direct support to Fleet Maintenance and Material Readiness

Addresses all configuration-worthy items necessary for operation, maintenance, modernization and support

Recent advancements (OMMS-NG) include software, systems, services, compartments, MAMS - anything that can have a job assigned to it.

Provides for technical data reviews and equipment configuration audits

The SCLSI database IS maintained in the CDMD-OA CENTRAL database

Previously known as the Ship Configuration and Logistics Support Information (SCLSI) database and the Weapons System File Download (WSFD) database.

CDMD-OA CENTRAL is the repository and source data file for ship configuration and associated logistics support information.

NAVSEA

NAVSEA 04L

SPM

TYCOM

CDM

ISEA

NAVICP

ILO/FTSCPAC



Naval Sea Systems Command (NAVSEA)

The largest of the Navy's five systems commands, Naval Sea Systems Command (NAVSEA) engineers, builds and supports America's Fleet of ships and combat systems.

NAVSEA

NAVSEA 04L

SPM

TYCOM

CDM

ISEA

NAVICP

ILO/FTSCPAC



Naval Sea Systems Command (NAVSEA 04L)

Manages and directs the development, implementation, operation, maintenance, and improvement of logistics and configuration management.

NAVSEA

NAVSEA 04L

SPM

TYCOM

CDM

ISEA

NAVICP

ILO/FTSCPAC



Ship Program Manager (SPM)

Tasks CDM to perform SCLSIS functions and monitors progress of all Integrated Logistics Support (ILS) actions.

NAVSEA

NAVSEA 04L

SPM

TYCOM

CDM

ISEA

NAVICP

ILO/FTSCPAC

Type Commander (TYCOM)

- Responsible for readiness support, logistics support and administrative management.
- Guides/promotes support and utilization of SCLSIS in the Fleet.
- Programs, budgets and authorizes Type "D" and "F" alterations.
- Schedules and coordinates shipboard validations.
- Assigns ILO/ILR availability in FMPMIS.



NAVSEA

NAVSEA 04L

SPM

TYCOM

CDM

ISEA

NAVICP

ILO/FTSCPAC



Configuration Data Manager (CDM)

- Manages SCLSIS database
- Ensures logistical support,
- Participates in design/logistics program reviews
- Schedules/conducts Database Reconciliation.

NAVSEA

NAVSEA 04L

SPM

TYCOM

CDM

ISEA

NAVICP

ILO/FTSCPAC



In-service Engineering Agent (ISEA)

- Technical agent for assigned equipment
- Provides planned/confirmed configuration/alteration data
- Provides list of affected equipment to ship at completion of installation
- Provides installation completion data to the CDM electronically via CDMD-OA workfile
- Resolves discrepancy data

NAVSEA

NAVSEA 04L

SPM

TYCOM

CDM

ISEA

NAVICP

ILO/FTSCPAC

Navy Inventory Control Point (NAVICP)

- Maintain Weapon Systems File (WSF) Level A and Level C data
- Provisions and codes equipment configuration
- Piece part information on equipment installed in Navy ships
- Selected shore activities.



NAVSEA

NAVSEA 04L

SPM

TYCOM

CDM

ISEA


NAVICP

ILO/FTSCPAC



Integrated Logistics Overhaul (ILO) Team/ Fleet Technical Support Center Pacific (FTSCPAC)

- Provide logistics support
- Train Fleet personnel
- Provide additional assistance required during Fleet operations.



(New construction not shown)

Ship/ILO



**TYCOM/
MRMS**

**CDMD-OA
Central**

Ship/ILO

Ship

- Performs CSMP Upline
- Submits 3M data (2K, CK) via RAD Upline Reporting
- Initiates a Job Control Number which is tracked throughout the ASI Process

ILO (Integrated Logistics Overhaul) performs some of ship's responsibilities during availabilities



Ship/ILO



**TYCOM/
MRMS**



**CDMD-OA
Central**

Ship/ILO

TYCOM/MRMS processes the data, converts the data from 80 to 120 character format, combines the CSMP from various UICs, then sends the CSMP file with CKs back to RADLANT.



+



RAD CSMP Upline Report

Strips off Cks

RADLANT/RADPAC Server

Ship/ILO

**TYCOM/
MRMS**




**CDMD-OA
Central**


Ship/ILO

TYCOM/MRMS processes the data, converts the data from 80 to 120 character format, combines the CSMP from various UICs, then sends the CSMP file with CK's back to RADLANT.

RADLANT then forwards the CSMP file to both Central and the Ship's 3M System for material history.



RADLANT/RADPAC Server



CDMD-OA Central and Ship's 3M System

Ship/ILO


TYCOM/
MRMS




**CDMD-OA
Central**

Ship/ILO

CDMD-OA Central forwards the CKs to the appropriate CDM's server, where they are processed by the assigned CDM.



Central



CDM Servers

Ship/ILO

TYCOM/
MRMS

CDMD-OA
Central



Ship/ILO

Once processed, records are stored in a file where the Ship/ILO can view the counts and request an ASI on demand.



Ship/ILO

TYCOM/
MRMS

CDMD-OA
Central



Ship/ILO



Ship/ILO views ASI Counts and Builds and performs ASI on demand. This file is then passed to the ship's RAD Mailbox where it is downloaded and played into SNAP/OMMS-NG.


ASI  **RAD Mailbox**  **SNAP/OMMS-NG**

 RAD ASI Counts and Builds

CDMD-OA GENERATES:

C14 Triggers (adds, changes, deletes) and sends to NAVICP to update the WSF Level A (END ITEM).

E52 Triggers (range adds and depth increases) and sends to NAVICP to update the WSF Level C (Repair parts for END ITEM).



ISEA



**CDMD-OA
Central**

Ship/ILO

- Use RAD, Send RADMAIL Option to forward SDIF file to Central:


ISEA




**CDMD-OA
Central**

Ship/ILO

- **CDMD-OA Central** forwards the files to the appropriate CDM server as a Workfile, where they are processed by the assigned CDM.



Central



CDM Servers

ISEA

CDMD-OA
Central




Ship/ILO




Ship/ILO views ASI Counts and Builds and performs ASI on demand. This file is then passed to the ship's RAD Mailbox where it is downloaded and played into SNAP/OMMS-NG.

ASI → **RAD Mailbox** → **SNAP/OMMS-NG**

R RAD ASI Counts and Builds







CDMD-OA


CDMD-OA Overview Topics

- CDMD-OA functionality
- Hardware Configuration
- Distributed Database and Warehouse
- Client Overview and Windows Conventions
- Web Site



- Configuration and Logistics Tracking
- Provides allowance and configuration data to NAVICP
- Provides supply & Configuration data for transfer to ship
- Provides CDM authoring tools
- Global Reference Data
- Workfile Module provides online change control
- Provides validation aids
- Automated Database Reconciliation (DBR) with SNAP/OMMS-NG
- NAVICP tool for XRIC tracking





CDMD-OA Executables

- CDMD-OA.exe
- CDMD-ADM.exe

WINDOWS Application

- GUI
- MDI

Basic Windows Conventions

- Control-C (Copy)
- Control-V (Paste)
- Shift-Click (Select all records)
- Control-Click (Select specific records)



<http://www.cdmd.navy.mil>

WEB APPLICATIONS

- Request a CDMD-OA Account

DOWNLOADS

- CDMD-OA Installation/Updates
- RAD Install

REFERENCES

- Tech Spec 9090-700C
- CDM Contact List

TRAINING

- Training Schedules
- Training Sites
- Training Material

HELP DESK

- Request Tech Support
- Tips and Diagnostics

CDMD-OA and RAD HELP

Hours: 0700-1700 EDT

904-270-7349 (East Coast)

904-759-4065 (after hours duty phone)

Heatweb@nslc-jax.spear.navy.mil



CDMD-OA

CDMD-OA Overview

- User Interface
- Building Queries
- Screen Options

PROJECT INFORMATION

WEB APPLICATIONS

DOWNLOADS

REFERENCE

TRAINING

HELP DESK



A screenshot of a 'Login' dialog box. The dialog has a blue title bar with the word 'Login' in white. The main area is light gray and contains three input fields: 'User ID:' with a text box, 'Password:' with a text box, and 'Database:' with a dropdown menu showing 'LOCAL'. Below the dropdown is the text '(Select Database First)' in blue. At the bottom is an 'Exit' button.

Login

User ID:

Password:

Database: LOCAL

(Select Database First)

Exit

Ad Hoc query

- 1) Go to the Configuration (2) query screen and **REMOVE ALL**
- 2) **Add** the following fields:
 - **Ship Hull** (ACT) - *From the Activity (ref) Table*
 - **RIN, RIC, HSC, SERIAL NUMBER, LOCATION, ISC** - *From the Config (Primary) Table*
 - **EFD, ESD** (ref-CFF) *From the Class Functional File Reference Table*
- 3) **Move** the following fields:
 - ESD under HSC
 - EFD under ESD
- 4) Using **HELP**, what is **EFD**, **ESD**, and **ISC**
- 5) **Save** the ad hoc query as your last name.
- 6) Right mouse click and bring up additional options. View all options.

Browse Screen

- 1) Go to the Configuration (2) query screen and **REMOVE ALL**
- 2) Add The following fields
 - **Ship Hull** (ACT)
 - **RIN, RIC, HSC, SERIAL NUMBER, LOCATION, ISC**
 - **EFD,ESD** (ref-CFF)
- 3) **Set** the **Ship Hull** FILTER to DDG 68
- 4) Type RIC **00002100** in the **RIC** FILTER and Click **OK**.
- 5) **SORT** on LOCATION.
- 6) **MOVE** ESD between RIC and HSC.
- 7) **INCREASE** EFD field to read complete EFD.
- 8) **DECREASE** Serial Number field.
- 9) Go through steps to **SAVE** as an Excel file with headers.
- 10) Right Click and bring up Help Popup and Help Detail windows.

Detail Screen

- 1) Go to the Configuration (2) query screen and **REMOVE ALL**
- 2) Add The following fields
 - **Ship Hull** (ACT)
 - **RIN, RIC, HSC, SERIAL NUMBER, LOCATION, ISC**
 - **EFD,ESD** (ref-CFF)
- 3) **Set** the **Ship Hull** FILTER to DDG 68
- 4) Type RIC **00004804** in the RIC FILTER and Click **OK**.
- 5) Click **Detail** button.
- 6) Double-click on each Hot Key field (RIC, HSC, Parent RIC)
- 7) Click on ISC field, then click on Reference Library Icon, then click on the ? Icon.
- 8) Click on DOVC field, then click on Utilities. From the drop-down menu, click Ref Library.
- 9) Does the record have any Logistics, Alteration, Parts, Source of Support, UDFs, or JCN records?

Review Building Queries

- Lab 1, Appendix D

Review 3-Step Query Process

- Selection Criteria Screen
- Browse Screen
- Detail Screen

Review Reference Files (Lesson 9)

Review Help Menu (Lesson 14)

Review Wildcards (Appendix A)

Review Technical Support

WorkFile Summary Screen

- Each Row Reflects a Summary at the Load File Level or User WorkFile Level
- Status - Open, Build, Hold, Released, Completed, and Sent to CDM
- Insert/delete/submit new work files
- Users rights, access and submit workfiles

WorkQueue Screen

- Each Row Reflects a Summary at the UIC/Hull Level
- Each Workfile Summary May Contain Multiple Queues (Hulls)
- Insert/delete Work queues here
- Copy Queue to workfile summary

Manual Review

- Provides a Brief of Each Transaction within the Queue
- Can View Transactions Using Various Filters

Detail Screen

- Detail Screen of Each Transaction colors

Creating Workfiles

- Easier to copy data into a workfile than to create from inserting records
- View workfile from Workfile Summary Screen
- Default Summary Title on Status Bar

To create a workfile:

1. Open the **Query** menu and click **Configuration (2) File**.
2. At the **Selection Criteria** window, select the fields you want displayed.
3. In the Browse window, select the records to copy.
4. Open the **Edit** menu and click **Copy to Queue**.

Note: The **Copy to Queue** command copies records to a workfile.

From the **WF Summary Selection** window, select the workfile to which you want to copy the records and click **OK**.

OR

From the **WF Summary Selection** window, click **Add New** to add a new workfile and type a descriptive title in the **Enter Summary Title** text box.

Note: The text typed in the **Enter Summary Title** text box becomes the workfile's title.

In the **Copy Selection Criteria** dialog box, select **Copy to same UIC** if you want to copy records to the same ship (CDMD-OA assigns existing RINs) or **Copy to One or Multiple UICs** (CDMD-OA assigns TRINs).

Select the information to copy, i.e., Logistics (RT 3), Alterations (RT 4), and/or User Defined Fields (UDFs) and click **OK**.

If you selected **Copy to One or Multiple UICs**, the **Select Hull(s)** window appears allowing you to select the appropriate hulls. After selecting hulls, click **OK**.



[Update Activity Information](#) | [Change to another MailBox](#) | [TYCOM Reports](#)

Activity

UIC

Code

Pending Products

NSLC DET LANT FSO CDM

N62670

CDM

7

Menu Options

Available Product

ASI Service

Send RADMail

Upline Reporting

Status / Logs

Preferences

Available product for 05513 TEST 1

| " | Actions | " | Product Type | RAD Process | Created | File Size | Rec Count |
|------------------------|--------------------------|------------------------|------------------|-------------|--------------|-----------|-----------|
| Detail | Download | Remove | ASI Error Report | RADMAIL | 001025140406 | 15 | N/A |
| Detail | Download | Remove | ASI Error Report | RADMAIL | 001025140420 | 15 | N/A |
| Detail | Download | Remove | ASI Error Report | RADMAIL | 001025140427 | 15 | N/A |
| Detail | Download | Remove | ASI Error Report | RADMAIL | 001025140441 | 15 | N/A |
| Detail | Download | Remove | ASI-376-N99899 | ASI | 001114144426 | 20555 | 723 |
| Detail | Download | Remove | ASI Error Report | RADMAIL | 001117143859 | 15 | N/A |

|<

<<

<

>

>>

>|

Page : 1 of 8



E-MAIL



DoD

WEBMASTER DISCLAIMER


RAD MailBox


Queued Product Record for N62670 / CDM

13 Record(s) received from RAD Mailbox

| Post Date | Prod Type | File Size | Rec Count | Xfer Time |
|--------------|--------------|-----------|-----------|------------|
| 991116110101 | ISEA Upline | 249557 | N/A | 14 Seconds |
| 990216163353 | DBR Error | 181862 | N/A | 11 Seconds |
| 990224100626 | RADMAIL | 669090 | N/A | 30 Seconds |
| 990420061330 | SDIF Extract | 76044 | 3598 | 7 Seconds |
| 990421041558 | SDIF Extract | 1012832 | 35188 | 44 Seconds |
| 990426060521 | SDIF Extract | 26189 | 1196 | 5 Seconds |
| 990428123806 | SDIF Extract | 24531 | 977 | 4 Seconds |
| 990428130319 | SDIF Extract | 12068 | 663 | 4 Seconds |
| 990429100257 | SDIF Extract | 11298 | 382 | 4 Seconds |
| 990501150041 | RADMAIL | 120447 | N/A | 0 Seconds |

Slides past this point are for contingency purposes if you cannot connect to Central for any reason.





Configuration Data Manager Database - Open Architecture (CDMD-OA)

File Query Edit Options Reports Utilities Window Help

Selection Criteria for Configuration Items

Table: Config
 Config
 activity (ref)
 Config Alt (ref)
 config_errs (ref)
 config_err_text (ref)

Query Name: Default (Site)
 Description: None

☐ Retrieve as Needed

Field List

| List | Field | Sort | Filter | Width |
|-------------------------------------|---------------------|------|--------|---------|
| <input checked="" type="checkbox"/> | ship hull (act) | | DDG 68 | Default |
| <input checked="" type="checkbox"/> | rin (cfg) | | | Default |
| <input checked="" type="checkbox"/> | ric (cfg) | | | Default |
| <input checked="" type="checkbox"/> | hsc (cfg) | | | Default |
| <input checked="" type="checkbox"/> | efd (cfg) | | @RADAR | Default |
| <input checked="" type="checkbox"/> | leic (cfg) | | | Default |
| <input checked="" type="checkbox"/> | isc (cfg) | | | Default |
| <input checked="" type="checkbox"/> | location (cfg) | | | Default |
| <input checked="" type="checkbox"/> | serial number (cfg) | | | Default |

Fields:

icn (cfg)
 lsri (cfg)
 lv (cfg)
 lv1 (cfg)
 min error cd (cfg)
 nha (cfg)
 nha rin (cfg)
 page (cfg)
 parent ric (cfg)
 parent serial num
 plant number (cfg)
 prid (cfg)
 psdin (cfg)
 psdn (cfg)

Save
 Delete
 Copy
 Reset Default
 Remove Item
 Move Item
 Remove All
 Ok
 Quit

Version 3.1.5C CDMD Central NC/ISEA (ISEA) Mem: 171.6 Free 4/26/2000 12:10 pm

Configuration Data Manager Database - Open Architecture (CDMD-OA)

File Query Edit Options Reports Utilities Window Help

Selected Configuration Records (10 of 43 Recs.)

| ip st) | Hull Rin (cfg) | Ric (cfg) | Hsc (cfg) | Eld (cfg) | Location (cfg) | isc (cfg) |
|-----------|-------------------|------------|-----------|-----------------------------------|----------------|-----------|
| B | 0004F | 00007050CL | 451641 | RADAR SET (AN/SPS-64(V)9) | 05-131-0-Q | G |
| B | 0004J | 00004804 | 4516415 | RECEIVER-TRANSMITTER, RADAR | 05-131-0-Q | G |
| B | 0060K | 006090237 | 711211C7 | RADAR WEAPON SYSTEM | 03-109-0-WE | G |
| B | 0060L | 006090237 | 711211D7 | RADAR WEAPON SYSTEM | 02-300-0-WE | G |
| B | 007BZ | ME403290CL | 4561D | RADAR, MULTIPLE MODE 1D SERIES | SHIP-WID-E | G |
| B | 007CH | ME403308 | 4561D15 | RADAR RECEIVER-PROGRAMMER | 03-142-0-C | G |
| B | 007FA | ME403300 | 4561D32 | RADAR TARGET DATA PROCESSOR NO. 1 | 2-126-2-C | G |
| B | 007FB | ME403300 | 4561D33 | RADAR TARGET DATA PROCESSOR NO. 2 | 2-126-2-C | G |
| B | 007GH | ME403337CL | 48299145 | RADAR SET | SHIP-WID-E | G |
| B | 007GJ | ME403311 | 482991451 | RADAR TRANSMITTER NO. 1 | 03-128-0-C | G |
| B | 007GR | ME403337CL | 4829917 | RADAR SET | SHIP-WID-E | G |
| B | 007GS | ME403311 | 48299171 | RADAR TRANSMITTER NO. 2 | 01-274-1-C | G |
| B | 007GZ | ME403337CL | 4829919 | RADAR SET | SHIP-WID-E | G |

Errs: 0 Detail Quit

Version 3.1.5C CDMD Central NCJSEA (ISEA) Mem: 171.5 Free 4/26/2000 12:09 pm

Configuration Data Manager Database - Open Architecture (CDMD-OA)

File Query Edit Options Reports Utilities Window Help

Configuration Display (RT 2) For DDG68 USS THE SULLIVANS - R21942

Action: Install Date: Rec Chk

Rin: 007GJ Discl: E Ein: T-1348/SPG Hsc: 482991451

Ric: ME403311 Qty: 1 Cage: 49956 Ael Col:

Eic: 5646100 Location: 03-128-0-C WCRC: JOTD1

WCRC: CF02 Prid: Val Date: Val W:

DIST: B ISC: G DOVC: MF VSAC: LS RNV: SN: D182

JCN/Page: SNAP # Nha Ric: Nha Rin:

P Ric: ME403337CL P SN: Nha:

Configuration Reporting Information

| Activity | Initials | Date | SC: | Psdn: | Psdin: | TNC: |
|----------|----------|--------|-----|--------|---------|------|
| N49416 | CDMD | 000107 | G | D40201 | D040201 | F |

Lsri: AFC: N Sei: N

Esd: MK-99 MFC5 Sac: 2AEGIS8 Isea: N63394 Scat: Lssc: AA MEC: V

Efd: RADAR TRANSMITTER NO. 1 Cel: MCC: 4

RicNm: T-1348/SPG DDG51T90, TRANSMITTER RADAR ISLN AINAC: EP

Log - 0 Alt - 11 Parts - 63 Sos - 0 Udf Jcn - 1 Errs - 0 Quit

Version 3.1.5C CDMD Central NCJISEA (JSEA) Mem: 170.7 Free 4/26/2000 12:08 pm

Configuration Data Manager Database - Open Architecture [CDMD-OA]

File Query Edit Options Reports Utilities Window Help

Selection Criteria for Logistic Items

Table: config_log

Query Name: Default (Site)

Description: Site Default

☐ Retrieve as Needed

Field List

| List | Field | Sort | Filter | Width |
|-------------------------------------|-------------------------|------|------------------|---------|
| <input checked="" type="checkbox"/> | ship type (act) | | | Default |
| <input checked="" type="checkbox"/> | ship hull (act) | | LPD 14 | Default |
| <input checked="" type="checkbox"/> | luic (log) | | | Default |
| <input checked="" type="checkbox"/> | log rin (log) | | | Default |
| <input checked="" type="checkbox"/> | parent rin (log) | | | Default |
| <input checked="" type="checkbox"/> | lsd type (log) | | TM | Default |
| <input checked="" type="checkbox"/> | lsd serial number (log) | | D347-LP-375-8000 | Default |
| <input checked="" type="checkbox"/> | lsd date (log) | | | Default |
| <input checked="" type="checkbox"/> | lsd note cd (log) | | | Default |
| <input checked="" type="checkbox"/> | desc1 (lsd general) | | | Default |
| <input checked="" type="checkbox"/> | desc1 (lsd specific) | | | Default |

Fields:

Save
Delete
Copy
Reset Default
Remove Item
Move Item
Remove All
Ok
Quit

Ready | Mem: 158.5 Free | 7/31/2000 10:13 am

Configuration Data Manager Database - Open Architecture (CDMD-OA)

File Query Edit Options Reports Utilities Window Help

Selection Criteria for Alteration Items

Table: config_alt
 config_alt

Query Name: Default (Site)

Description: Site Default

☐ Retrieve as Needed

Field List

| List | Field | Sort | Filter | Width |
|-------------------------------------|--------------------------|------|--------|---------|
| <input checked="" type="checkbox"/> | ship type (act) | | | Default |
| <input checked="" type="checkbox"/> | ship hull (act) | | DDG 68 | Default |
| <input checked="" type="checkbox"/> | uic (alt) | | | Default |
| <input checked="" type="checkbox"/> | alt rin (alt) | | | Default |
| <input checked="" type="checkbox"/> | parent rin (alt) | | | Default |
| <input checked="" type="checkbox"/> | alt type (alt) | | OA | Default |
| <input checked="" type="checkbox"/> | alt id (alt) | | 20284 | Default |
| <input checked="" type="checkbox"/> | alt status (alt) | | | Default |
| <input checked="" type="checkbox"/> | alt ric (alt) | | | 1.5 in |
| <input checked="" type="checkbox"/> | ric nomenclature (ric n) | | | Default |

Fields:

- action code (alt)
- allow fund cd (alt)
- del flag cd (alt)
- disl (alt)
- error cd (alt)
- icn (alt)
- lsri (alt)
- min error cd (alt)
- page (alt)
- psdin (alt)
- psdn (alt)
- psdn type (alt)
- rptg activity (alt)
- rptg date (alt)

Save
Delete
Copy
Reset Default
Remove Item
Move Item
Remove All
Ok
Quit

Version 3.1.6 CDMD Central NCJISEA (JSEA) Mem: 155.1 Free 7/31/2000 10:36 am

